




## Technical Data: Living

# Living: Freestanding uplighter, ceiling- and wall-mounted luminaire.

## Living – freestanding uplighter with CLD Controlled Luminance Diffusor.

Freestanding uplighter for 2 circular T5 fluorescent lamps 55W FCH (T16-R) with base 2GX13, 230V, indirect-/direct light emission, frame in synthetic material, round, opaque decor, micro-prismatic CLD Controlled Luminance Diffusor for controlled light spread, halogen-free internal wiring, integral HF electronic control gear, with switch on the tube, 3m mains cable with plug. Available in white, silver or black.




Freestanding uplighter, CLD Controlled Luminance Diffusor

**2 x 55 W**  
FCH  
2GX13




650°C



	silver opaque	black structured, opaque	white structured, opaque
Control gear HF electronic	74H012C110.7	74S011C110.7	74W011C110.7
Control gear HF electronic with SensoDim®	74H012C110.S	74S011C110.S	74W011C110.S

## Living – freestanding uplighter with CLD Controlled Luminance Diffusor.

Freestanding uplighter for 3 fluorescent compact lamps 1x26W + 2x26W FSDH (TC-LEL) with base 2GX11, 230V, indirect-/direct light emission, frame in synthetic material, oval, opaque decor, micro-prismatic CLD Controlled Luminance Diffusor for controlled light spread, halogen-free internal wiring, integral HF electronic control gear, with switch on the tube, 3m mains cable with plug. Available in white, silver or black.




Freestanding uplighter, CLD Controlled Luminance Diffusor

**3 x 26 W**  
FSDH  
2GX11





650°C



	silver opaque	black structured, opaque	white structured, opaque
Control gear HF electronic	74H112P326.7	74S111P326.7	74W111P326.7
Control gear HF electronic with SensoDim®	74H112P326.S	74S111P326.S	74W111P326.S

## Living – ceiling-mounted luminaire with CLD Controlled Luminance Diffusor.

Ceiling-mounted luminaire for 2 circular T5 fluorescent lamps 40W + 60W FCH (T16-R) with base 2GX13, 230V, direct light emission, with mild homogeneous ceiling lighting, frame in synthetic material, opaque decor, micro-prismatic CLD Controlled Luminance Diffusor for controlled light spread, ceiling rosette, halogen-free internal wiring, integral HF electronic control gear. Available in white, silver or black.



Ceiling mounted luminaire, CLD Controlled Luminance Diffusor

**1x55 W  
40+60 W**  
FCH  
2GX13





850°C

	silver opaque	white opaque	black opaque
Control gear HF electronic 1x55 W	74H412C55.7	74W411C55.7	74S413C55.7
Control gear HF electronic 40+60 W	74H412C100.7	74W411C100.7	74S413C100.7

## Living – wall-mounted luminaire with CLD Controlled Luminance Diffusor.

Wall-mounted luminaire for 2 fluorescent compact lamps 55W FSDH (TC-LEL) with base 2G11, 230V, indirect-/direct light emission, frame in synthetic material, opaque decor, micro-prismatic CLD Controlled Luminance Diffusor for controlled light spread, halogen-free internal wiring, integral HF electronic control gear. Available in white, silver or black.



Wall mounted luminaire, CLD Controlled Luminance Diffusor

**2x55 W**  
FSDH  
2G11



650°C

	silver opaque	white structured, opaque	black structured, opaque
Control gear HF electronic	74H211P110.7	74W211P110.7	74S211P110.7

**Switzerland**  
Head Office  
Regent Beleuchtungskörper AG  
Dornacherstrasse 390  
Postfach 246  
CH-4018 Basel  
Tel. +41 (0)61 335 51 11  
Fax +41 (0)61 335 52 01  
info.bs@regent.ch

**Berne**  
Regent Beleuchtungskörper AG  
Jupiterstrasse 15  
Postfach 35  
CH-3000 Bern 15  
Tel. 031 940 10 10  
Fax 031 940 10 11  
info.be@regent.ch

**Geneva**  
Régent Appareils d'éclairage SA  
Rue de Saint-Jean 30  
CH-1203 Genève  
Tél. 022 340 34 00  
Fax 022 340 38 82  
info.ge@regent.ch

**Lausanne**  
Régent Appareils d'éclairage SA  
Chemin du Rionzi 60  
Case postale 432  
CH-1052 Le Mont-sur-Lausanne  
Tél. 021 642 02 02  
Fax 021 648 21 19  
info.ls@regent.ch

**Lugano**  
Regent Illuminazione SA  
Via al Mulino 22  
CH-6814 Cadempino  
Tel. 091 966 77 33  
Fax 091 967 11 01  
info.ti@regent

**Zurich**  
Regent Beleuchtungskörper AG  
Luggwegstrasse 9  
CH-8048 Zürich  
Tel. 044 497 31 11  
Fax 044 497 31 61  
info.zh@regent.ch

**Head Office International**  
Regent Beleuchtungskörper AG  
Dornacherstrasse 390  
P.O. Box 246  
CH-4018 Basel Switzerland  
Tel. +41 61 335 54 82  
Fax +41 61 335 55 96  
export.bs@regent.ch

**Germany**  
Regent Licht GmbH  
TechnologiePark  
Friedrich-Ebert-Straße  
D-51429 Bergisch Gladbach  
Tel. +49 2204 84 37 80  
Fax +49 2204 84 37 81  
info@regent-licht.de

**France**  
Régent Appareils d'éclairage Sàrl  
Siège social  
10, place Charles Béraudier  
F-69428 Lyon Cedex 03

Régent Appareils d'éclairage SA  
Siège commercial  
Dornacherstrasse 390  
Case postale 246  
CH-4018 Bâle Suisse  
Tél. +41 61 335 54 83  
Fax +41 61 335 55 96  
info.fr@regent.ch

**Israel**  
Regent Lighting Ltd.  
4, Moshe Sharet St.  
IL-75704 Rishon Letzion  
Tel. +972 3 962 29 70  
Fax +972 3 962 29 98  
service@regentlighting.co.il

**Italy**  
Regent Illuminazione s.r.l.  
Sede legale  
Via Vittor Pisani 16  
I-20124 Milano

Regent Illuminazione SA  
Sede commerciale  
Via al Mulino 22  
CH-6814 Cadempino  
Tel. +41 91 966 77 33  
Fax +41 91 967 11 01  
info.it@regent.ch

**Austria**  
Regent Licht GmbH  
Karl-Farkas-Gasse 22  
A-1030 Wien  
Tel. +43 1 879 12 10  
Fax +43 1 879 12 09  
info@regent-licht.at

**United Kingdom**  
Regent Lighting UK Ltd.  
Legal address  
8 Lincoln's Inn Fields,  
UK-London, WC2A 3BP  
Tel. +44 7515 28 65 37  
Fax. +44 208 446 96 09  
info@regent-lighting.co.uk

**India**  
Regent Lighting Asia Private Limited  
A-40, Ground Floor,  
Sector-80, Phase-II,  
Noida-201 305, Uttar Pradesh, India  
Tel +91 120 473 3028 (North India)  
Tel +91 120 473 3031 (South & West India)  
info@regent-lighting.in